ELSEVIER

Analytica Chimica Acta 352 (1997) 429–430

ANALYTICA CHIMICA ACTA

Author Index

Abad, C., see Salom, D. 309
Amiot, J., see Lemieux, L. 399

Ball, H.L., see Mascagni, P. 375
Bañó, M.C., see Salom, D. 309
Bertolini, G., see Mascagni, P. 375
Beyermann, M., Krause, E. 365
Bienert, M., Krause, E. 365
Boppana, V.K.
— and Miller-Stein, C.
High-performance liquid chromatographic determination of peptide drugs in biological fluids by means of pre- and post-column fluorescence derivatization techniques 61
Braco, L., see Salom, D. 309

Cantini, M., see Libera, L.D. 271
Carlson, A.D.
—, Hofer, J.D. and Riggin, R.M.
Development of an optimized peptide map for recombinant activated human protein C by means of an experimental design strategy 221
Claessens, H.A., see Štulík, K. 1
Coeur, C. Le, see Zhao, Q. 201
Cohen, P., see Rholam, M. 155
Crimmins, D.L.
Strong cation-exchange high-performance liquid chromatography as a versatile tool for the characterization and purification of peptides 21

Desiderio, D.M.
Analysis of endogenous neuropeptides by reversed-phase high-performance chromatography and mass spectrometry 85
Deyl, Z.
—, Mikšík, I., Zicha, J. and Jelínková, D.
Reversed-phase chromatography of pentosidine-containing CNRr peptides from collagen 257

Eckert, H., see Koller, M. 31

Gazdag, M.
—, Mihályfi, K. and Görög, S.
Ion-pair RP-HPLC separation of thymopoietin fragments and related peptides 231
Görög, S., see Gazdag, M. 231
Guillochon, D., see Lemieux, L. 399

Hannappel, E., see Huff, T. 239
Hannappel, E., see Huff, T. 249
Harada, M.
High performance liquid chromatographic determination of peptidase activity toward proline-containing peptides 179
Herraiz, T.
Sample preparation and reversed phase-high performance liquid chromatography analysis of food-derived peptides 119
Hofer, J.D., see Carlson, A.D. 221
Hoffmann, R.
—, Segal, M. and Otvos, Jr., L.
Separation of sets of mono- and diphosphorylated peptides by reversed-phase high performance liquid chromatography 327
Hoffmann, R.
—, Vasko, M. and Otvos, Jr., L.
Serum stability of phosphopeptides 319
Huff, T.
— and Hannappel, E.
Oxidation and reduction of thymosin β_4 and its influence on the interaction with G-actin studied by reverse-phase HPLC and post-column derivatization with fluorescamine 249
Huff, T.
—, Müller, C. and Hannappel, E.
HPLC and post-column derivatization with fluorescamine: isolation of actin-sequestering β-thymosins by reversed-phase HPLC 239
Huisman, T.H.J.
High performance liquid chromatographic analysis of human hemoglobins and their polypeptide chains: its use in the identification of variants 187

Irvine, G.B.
Size-exclusion high-performance liquid chromatography of peptides: a review 387
Ito, Y., see Ma, Y. 411

Jelínková, D., see Deyl, Z. 257

Kai, M.
—, Ohkura, Y.
Liquid chromatography of peptides treated with fluorogenic reagents and its application to analyses of opioid peptides, their precursors and related enzymes in rat brain 103
Kertscher, U., see Mehlis B. 71
Kline, W., see Schwartz, M. 299

Kodama, H.
— and Sugahara, K.
Analyses of iminodipeptides containing *C*-terminal proline or hydroxyproline in biological samples by liquid chromatography/mass spectrometry 141
Koller, M.
— and Eckert, H.
Derivation of peptides for their determination by chromatographic methods 31
Krause, E.
—, Rothemund, S., Beyermann, M. and Bienert, M.
Monitoring of α-helical secondary structures in peptides by reversed-phase HPLC of replacement sets 365

Lemieux, L.
—, Amiot, J., Piot, J.M. and Guillochon, D.
Separation of a casein hydrolyzate by HPSEC with a new mobile phase and characterization of peptides by FABMS 399
Libera, L.D.
—, Martin, B., Massimino, M.L. and Cantini, M.
Partial purification and biochemical characterization by liquid chromatography of specific myo-mitogenic factor(s) from culture medium of activated macrophages 271

Ma, Y.
— and Ito, Y.
Recent advances in peptide separation by countercurrent chromatography 411
Martin, B., see Libera, L.D. 271
Mascagni, P.
—, Ball, H.L. and Bertolini, G.
Selective purification of synthetic proteins by the use of FMOC- and biotin-based reversible chromatographic probes 375
Massimino, M.L., see Libera, L.D. 271
Matuszewski, B., see Schwartz, M. 299
Mehlis, B.
— and Kertscher, U.
Liquid chromatography/mass spectrometry of peptides of biological samples 71
Meriluoto, J.
Chromatography of microcystins 277
Mihályfi, K., see Gazdag, M. 231
Miksík, I., see Deyl, Z. 257
Miller-Stein, C., see Boppana, V.K. 61
Müller, C., see Huff, T. 239

Ohkura, Y., see Kai, M. 103
Otvos, Jr., L., see Hoffmann, R. 319
Otvos, Jr., L., see Hoffmann, R. 327

Pacáková, V., see Štulík, K. 1
Péter, A.
— and Tóth, G.
Chromatographic methods for the separation of enantiomers and epimers of β-alkyl amino acids and peptides containing them 335
Piot, J.M., see Zhao, Q. 201
Piot, J.M., see Lemieux, L. 399

Rholam, M.
— and Cohen, P.
Peptides as tools for studying propeptide and proprotein processing 155
Riggin, R.M., see Carlson, A.D. 221
Rothemund, S., see Krause, E. 365

Štulík, K.
—, Pacáková, V., Suchánková, J. and Claessens, H.A.
Stationary phases for peptide analysis by high performance liquid chromatography: a review 1
Salom, D.
—, Bañó, M.C., Braco, L. and Abad, C.
HPLC in the characterisation of conformational species of linear gramicidins 309
Schwartz, M.
—, Kline, W. and Matuszewski, B.
Determination of a cyclic hexapeptide (L-743 872), a novel pneumocandin antifungal agent in human plasma and urine by high-performance liquid chromatography with fluorescence detection 299
Segal, M., see Hoffmann, R. 327
Suchánková, J., see Štulík, K. 1
Sugahara, K., see Kodama, H. 141
Suzuki, T.
—, Watanabe, T. and Toyo'oka, T.
Discrimination of D/L-amino acid in peptide sequence based on fluorescent chiral derivatization by reversed-phase liquid chromatography 357

Tóth, G., see Péter, A. 335
Toyo'oka, T., see Suzuki, T. 357

Vasko, M., see Hoffmann, R. 319

Watanabe, T., see Suzuki, T. 357

Zhao, Q.
—, Coeur, C. Le and Piot, J.M.
Analysis of peptides from bovine hemoglobin and tuna myoglobin enzymatic hydrolysate: use of HPLC with on-line second-order derivative spectroscopy for the characterization of biologically active peptides 201
Zicha, J., see Deyl, Z. 257